PJS
3/15/2006

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	98	(715/542).CCLS.	USPAT; USOCR	OR	OFF	2006/03/15 09:20
L1	140	(715/542).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/03/15 09:20
S429	90	((chang$3 dynamic$4 select$3 rais$3 lower$3 increas$3 decreas$3) NEAR2 escape) SAME character$1	US-PGPUB; USPAT	OR	OFF	2006/03/14 07:22
S428	3186	(chang$3 dynamic$4 select$3 rais$3 lower$3 increas$3 decreas$3) NEAR2 escape	US-PGPUB; USPAT	OR	OFF	2006/03/14 07:22
S427	0	(escape NEAR2 $1mbed$4) SAME (every NEAR2 character)	USPAT	OR	OFF	2006/03/14 07:16
S426	1	("5751231").URPN.	USPAT	OR	OFF	2006/03/14 07:16
S425	12	(escape ADJ (byte$1 code$1 character$1)) NEAR4 (greater)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S424	57	(escape ADJ byte$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S423	1	greater NEAR3 (escape ADJ character$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S422	0	(escape ADJ character$1) SAME (double$1byte$1 (double ADJ byte$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S421	0	(escape ADJ character$1) SAME (double$1byte$1 (double ADJ byte$1))	US-PGPUB; USPAT	OR	OFF	2006/03/14 07:16
S420	1	greater NEAR3 (escape ADJ character$1)	US-PGPUB; USPAT	OR	OFF	2006/03/14 07:16
S419	22	select$6 NEAR3 (escape ADJ character$1)	US-PGPUB; USPAT	OR	OFF	2006/03/14 07:16
S418	613	escape ADJ character$1	US-PGPUB; USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S417	1	ascii SAME unicode SAME (escape ADJ code$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S416	26	(escape ADJ code$1) NEAR3 variabl$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S415	4	(escape ADJ code$1) SAME (((double mixed) NEAR3 byte$1) double$1byte$1 mixed$1byte$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S414	3	(escape ADJ code$1) SAME trade$1off$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S413	10	(escape ADJ code$1) NEAR4 greater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S412	0	(escape ADJ code$1) NEAR4 (greater ADJ than)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S411	184	(escape ADJ code$1) AND trade$1off$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S410	86	(escape ADJ code$1) AND compromis$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16

EAST Search History

S40 9	86	(escape ADJ code$1) NEAR4 character$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S40 8	0	(escape ADJ code$1) NEAR4 character$1 NEAR5 each	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S40 7	0	(escape ADJ code$1) NEAR4 character$1 NEAR5 per	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:16
S40 6	6	(high NEAR ascii)	USPAT	OR	OFF	2006/03/14 07:16
S40 5	0	(high NEAR ascii) SAME escape$1	USPAT	OR	OFF	2006/03/14 07:16
S40 4	0	(high NEAR ascii) SAME escape	USPAT	OR	OFF	2006/03/14 07:16
S40 3	28	(extended NEAR2 ascii) AND escape$1	USPAT	OR	OFF	2006/03/14 07:16
S40 2	123	extended NEAR2 ascii	USPAT	OR	OFF	2006/03/14 07:16
S40 1	5	(extended NEAR2 ascii) SAME mix$2	USPAT	OR	OFF	2006/03/14 07:16
S40 0	3	(extended NEAR2 ascii) SAME escape$1	USPAT	OR	OFF	2006/03/14 07:16
S39 9	189	("16" NEAR bit$1) AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S39 8	213	((program ADJ code) SAME (message$1 text string$1)) AND ((look$1up "look up") ADJ table$1)	USPAT	OR	OFF	2006/03/14 07:16
S39 7	189	("16" NEAR bit$1) AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S39 6	213	((program ADJ code) SAME (message$1 text string$1)) AND ((look$1up "look up") ADJ table$1)	USPAT	OR	OFF	2006/03/14 07:16
S39 5	5	(escape ADJ code$1) AND ((single AND double) NEAR3 byte$1)	USPAT	OR	OFF	2006/03/14 07:16
S39 4	4	mixed SAME dbcs SAME sbcs	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S39 3	6	(mixed ADJ string$1) AND single AND double	USPAT	OR	OFF	2006/03/14 07:16
S39 2	4	mixed ADJ character ADJ string$1	USPAT	OR	OFF	2006/03/14 07:16
S39 1	10	("5440482" | "5485373" | "5758314" | "5787452" | "5793381" | "5832507" | "5873111" | "5929729" | "6049869" | "6055365").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 07:16
S39 0	5	mixed SAME (character ADJ set$1) SAME double SAME single	USPAT	OR	OFF	2006/03/14 07:16
S38 9	43	mixed SAME (character ADJ set$1)	USPAT	OR	OFF	2006/03/14 07:16
S38 8	16	("5418718").URPN.	USPAT	OR	OFF	2006/03/14 07:16
S38 7	16	sbcs SAME dbcs	USPAT	OR	OFF	2006/03/14 07:16
S38 6	83	mbcs	USPAT	OR	OFF	2006/03/14 07:16
S38 5	2	mbcs SAME ascii	USPAT	OR	OFF	2006/03/14 07:16
S38 4	5	(double$1byte "double byte" half$1word$1 "half word" "double bytes" "half words") SAME (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S38 3	4	(double$1byte "double byte") AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S38 2	26	ascii SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S38 1	40	(bios NEAR2 code$1) SAME graphic$1	USPAT	OR	OFF	2006/03/14 07:16
S38 0	4	"5812390".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S37 9	28	bios SAME ((conserv$4 consolidat$4 minimiz$4) NEAR2 (size$1 space$1 memory$1 code$1))	USPAT	OR	OFF	2006/03/14 07:16
S37 8	7	bios SAME (text string$1 message$1) SAME (program ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S37 7	71	identifier$1 NEAR2 correspond$3 NEAR2 (text$1 string$1 message$1)	USPAT	OR	OFF	2006/03/14 07:16
S37 6	14	"4949302".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S37 5	40	message$1 NEAR (look$1up ADJ table$1)	USPAT	OR	OFF	2006/03/14 07:16
S37 4	49	(message$1 NEAR token$1) SAME (look$1up table)	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S37 3	10	(message$1 NEAR table$1) SAME token$1	USPAT	OR	OFF	2006/03/14 07:16
S37 2	5	("5519832" | "5630048" | "5761505" | "5930503" | "5933594").PN.	USPAT	OR	OFF	2006/03/14 07:16
S37 1	26	token$1 NEAR2 correspond$3 NEAR2 (text$1 string$1 message$1)	USPAT	OR	OFF	2006/03/14 07:16
S37 0	36	separate$1 SAME text SAME token$1 SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S36 9	23	separate SAME text SAME token SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S36 8	3	(double$1byte "double byte") SAME (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S36 7	3	(extended ADJ ascii) AND (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S36 6	3	(double$1byte "double byte") SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S36 5	3	"6052800".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S36 4	3	(double$1byte "double byte") SAME (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S36 3	5	(double$1byte "double byte" half$1word$1 "half word" "double bytes" "half words") SAME (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S36 2	4	(double$1byte "double byte") AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S36 1	3	(extended ADJ ascii) AND (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S36 0	3	(double$1byte "double byte") SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S35 9	26	ascii SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S35 8	40	(bios NEAR2 code$1) SAME graphic$1	USPAT	OR	OFF	2006/03/14 07:16
S35 7	4	"5812390".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S35 6	28	bios SAME ((conserv$4 consolidat$4 minimiz$4) NEAR2 (size$1 space$1 memory$1 code$1))	USPAT	OR	OFF	2006/03/14 07:16
S35 5	7	bios SAME (text string$1 message$1) SAME (program ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S35 4	71	identifier$1 NEAR2 correspond$3 NEAR2 (text$1 string$1 message$1)	USPAT	OR	OFF	2006/03/14 07:16
S35 3	14	"4949302".URPN.	USPAT	OR	OFF	2006/03/14 07:16

S35 2	40	message$1 NEAR (look$1up ADJ table$1)	USPAT	OR	OFF	2006/03/14 07:16
S35 1	49	(message$1 NEAR token$1) SAME (look$1up table)	USPAT	OR	OFF	2006/03/14 07:16
S35 0	10	(message$1 NEAR table$1) SAME token$1	USPAT	OR	OFF	2006/03/14 07:16
S34 9	5	("5519832" | "5630048" | "5761505" | "5930503" | "5933594").PN.	USPAT	OR	OFF	2006/03/14 07:16
S34 8	3	"6052800".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S34 7	26	token$1 NEAR2 correspond$3 NEAR2 (text$1 string$1 message$1)	USPAT	OR	OFF	2006/03/14 07:16
S34 6	36	separate$1 SAME text SAME token$1 SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S34 5	23	separate SAME text SAME token SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S34 4	1	(mixed ADJ character ADJ string$1) AND single AND double	USPAT	OR	OFF	2006/03/14 07:16
S34 3	1	(national ADJ language ADJ support) SAME double SAME single	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 07:16
S34 2	1	("6498657").PN.	USPAT	OR	OFF	2006/03/14 07:16
S34 1	0	(national ADJ language ADJ support) SAME (mixed NEAR2 byte$1)	USPAT	OR	OFF	2006/03/14 07:16
S34 0	0	mbcs SAME sbcs	USPAT	OR	OFF	2006/03/14 07:16
S33 9	206	("16" NEAR2 bit$1) AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S33 8	0	("5812390".PN. NEAR bit$1) AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S33 7	2	(extended ADJ ascii) SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S33 6	0	(bios NEAR2 code$1) SAME ((separate$1 remove$1) NEAR2 (graphic$1 bitmap$1))	USPAT	OR	OFF	2006/03/14 07:16
S33 5	0	(bios NEAR2 separate) NEAR2 graphic$1	USPAT	OR	OFF	2006/03/14 07:16
S33 4	199	bios SAME (conserv$4 consolidat$4 minimiz$4)	USPAT	OR	OFF	2006/03/14 07:16
S33 3	3325	(program ADJ code) SAME (message$1 text string$1)	USPAT	OR	OFF	2006/03/14 07:16
S33 2	0	(program ADJ code) SAME ((token$1 identifier$1) NEAR substitute)	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S33 1	0	(program ADJ code) SAME (((token$1 identifier$1) NEAR substitute) SAME (message$1 text string$1))	USPAT	OR	OFF	2006/03/14 07:16
S33 0	219	bios SAME (text string$1 message$1) SAME code$1	USPAT	OR	OFF	2006/03/14 07:16
S32 9	704	bios SAME (text string$1 message$1)	USPAT	OR	OFF	2006/03/14 07:16
S32 8	450	message$1 NEAR token$1	USPAT	OR	OFF	2006/03/14 07:16
S32 7	1138	message$1 NEAR table$1	USPAT	OR	OFF	2006/03/14 07:16
S32 6	147	(715/536).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S32 5	551	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S32 4	111	(715/542).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S32 3	206	("16" NEAR2 bit$1) AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S32 2	0	("5812390".PN. NEAR bit$1) AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S32 1	2	(extended ADJ ascii) SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S32 0	0	(bios NEAR2 code$1) SAME ((separate$1 remove$1) NEAR2 (graphic$1 bitmap$1))	USPAT	OR	OFF	2006/03/14 07:16
S31 9	0	(bios NEAR2 separate) NEAR2 graphic$1	USPAT	OR	OFF	2006/03/14 07:16
S31 8	199	bios SAME (conserv$4 consolidat$4 minimiz$4)	USPAT	OR	OFF	2006/03/14 07:16
S31 7	3325	(program ADJ code) SAME (message$1 text string$1)	USPAT	OR	OFF	2006/03/14 07:16
S31 6	0	(program ADJ code) SAME ((token$1 identifier$1) NEAR substitute)	USPAT	OR	OFF	2006/03/14 07:16
S31 5	0	(program ADJ code) SAME (((token$1 identifier$1) NEAR substitute) SAME (message$1 text string$1))	USPAT	OR	OFF	2006/03/14 07:16
S31 4	219	bios SAME (text string$1 message$1) SAME code$1	USPAT	OR	OFF	2006/03/14 07:16
S31 3	704	bios SAME (text string$1 message$1)	USPAT	OR	OFF	2006/03/14 07:16
S31 2	450	message$1 NEAR token$1	USPAT	OR	OFF	2006/03/14 07:16
S31 1	1138	message$1 NEAR table$1	USPAT	OR	OFF	2006/03/14 07:16

S31 0	147	(715/536).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S30 9	551	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S30 8	111	(715/542).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S30 7	5	(escape ADJ code$1) AND ((single AND double) NEAR3 byte$1)	USPAT	OR	OFF	2006/03/14 07:16
S30 6	4	mixed SAME dbcs SAME sbcs	USPAT	OR	OFF	2006/03/14 07:16
S30 5	6	(mixed ADJ string$1) AND single AND double	USPAT	OR	OFF	2006/03/14 07:16
S30 4	1	(mixed ADJ character ADJ string$1) AND single AND double	USPAT	OR	OFF	2006/03/14 07:16
S30 3	4	mixed ADJ character ADJ string$1	USPAT	OR	OFF	2006/03/14 07:16
S30 2	0	(national ADJ language ADJ support) SAME (mixed NEAR2 byte$1)	USPAT	OR	OFF	2006/03/14 07:16
S30 1	1	(national ADJ language ADJ support) SAME double SAME single	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 07:16
S30 0	10	("5440482" | "5485373" | "5758314" | "5787452" | "5793381" | "5832507" | "5873111" | "5929729" | "6049869" | "6055365").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 07:16
S29 9	5	mixed SAME (character ADJ set$1) SAME double SAME single	USPAT	OR	OFF	2006/03/14 07:16
S29 8	43	mixed SAME (character ADJ set$1)	USPAT	OR	OFF	2006/03/14 07:16
S29 7	16	("5418718").URPN.	USPAT	OR	OFF	2006/03/14 07:16
S29 6	16	sbcs SAME dbcs	USPAT	OR	OFF	2006/03/14 07:16
S29 5	83	mbcs	USPAT	OR	OFF	2006/03/14 07:16
S29 4	0	mbcs SAME sbcs	USPAT	OR	OFF	2006/03/14 07:16
S29 3	2	mbcs SAME ascii	USPAT	OR	OFF	2006/03/14 07:16
S29 2	189	("16" NEAR bit$1) AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S29 1	213	((program ADJ code) SAME (message$1 text string$1)) AND ((look$1up "look up") ADJ table$1)	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S29 0	5	(double$1byte "double byte" half$1word$1 "half word" "double bytes" "half words") SAME (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S28 9	4	(double$1byte "double byte") AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S28 8	26	ascii SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S28 7	40	(bios NEAR2 code$1) SAME graphic$1	USPAT	OR	OFF	2006/03/14 07:16
S28 6	4	"5812390".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S28 5	28	bios SAME ((conserv$4 consolidat$4 minimiz$4) NEAR2 (size$1 space$1 memory$1 code$1))	USPAT	OR	OFF	2006/03/14 07:16
S28 4	7	bios SAME (text string$1 message$1) SAME (program ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S28 3	71	identifier$1 NEAR2 correspond$3 NEAR2 (text$1 string$1 message$1)	USPAT	OR	OFF	2006/03/14 07:16
S28 2	14	"4949302".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S28 1	40	message$1 NEAR (look$1up ADJ table$1)	USPAT	OR	OFF	2006/03/14 07:16
S28 0	49	(message$1 NEAR token$1) SAME (look$1up table)	USPAT	OR	OFF	2006/03/14 07:16
S27 9	10	(message$1 NEAR table$1) SAME token$1	USPAT	OR	OFF	2006/03/14 07:16
S27 8	5	("5519832" | "5630048" | "5761505" | "5930503" | "5933594").PN.	USPAT	OR	OFF	2006/03/14 07:16
S27 7	26	token$1 NEAR2 correspond$3 NEAR2 (text$1 string$1 message$1)	USPAT	OR	OFF	2006/03/14 07:16
S27 6	36	separate$1 SAME text SAME token$1 SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S27 5	23	separate SAME text SAME token SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S27 4	3	(double$1byte "double byte") SAME (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S27 3	3	(extended ADJ ascii) AND (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S27 2	3	(double$1byte "double byte") SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S27 1	3	"6052800".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S27 0	206	("16" NEAR2 bit$1) AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16

S26 9	0	("5812390".PN. NEAR bit$1) AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S26 8	2	(extended ADJ ascii) SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S26 7	0	(bios NEAR2 code$1) SAME ((separate$1 remove$1) NEAR2 (graphic$1 bitmap$1))	USPAT	OR	OFF	2006/03/14 07:16
S26 6	0	(bios NEAR2 separate) NEAR2 graphic$1	USPAT	OR	OFF	2006/03/14 07:16
S26 5	199	bios SAME (conserv$4 consolidat$4 minimiz$4)	USPAT	OR	OFF	2006/03/14 07:16
S26 4	3325	(program ADJ code) SAME (message$1 text string$1)	USPAT	OR	OFF	2006/03/14 07:16
S26 3	0	(program ADJ code) SAME ((token$1 identifier$1) NEAR substitute)	USPAT	OR	OFF	2006/03/14 07:16
S26 2	0	(program ADJ code) SAME (((token$1 identifier$1) NEAR substitute) SAME (message$1 text string$1))	USPAT	OR	OFF	2006/03/14 07:16
S26 1	219	bios SAME (text string$1 message$1) SAME code$1	USPAT	OR	OFF	2006/03/14 07:16
S26 0	704	bios SAME (text string$1 message$1)	USPAT	OR	OFF	2006/03/14 07:16
S25 9	450	message$1 NEAR token$1	USPAT	OR	OFF	2006/03/14 07:16
S25 8	1138	message$1 NEAR table$1	USPAT	OR	OFF	2006/03/14 07:16
S25 7	147	(715/536).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S25 6	551	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S25 5	111	(715/542).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S25 4	1	("6498657").PN.	USPAT	OR	OFF	2006/03/14 07:16
S25 3	3	(double$1byte "double byte") SAME (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S25 2	5	(double$1byte "double byte" half$1word$1 "half word" "double bytes" "half words") SAME (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S25 1	189	("16" NEAR bit$1) AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S25 0	206	("16" NEAR2 bit$1) AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S24 9	0	("5812390".PN. NEAR bit$1) AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S24 8	4	(double$1byte "double byte") AND (escape ADJ code$1)	USPAT	OR	OFF	2006/03/14 07:16
S24 7	3	(extended ADJ ascii) AND (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S24 6	2	(extended ADJ ascii) SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S24 5	3	(double$1byte "double byte") SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S24 4	26	ascii SAME (escape ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S24 3	40	(bios NEAR2 code$1) SAME graphic$1	USPAT	OR	OFF	2006/03/14 07:16
S24 2	0	(bios NEAR2 code$1) SAME ((separate$1 remove$1) NEAR2 (graphic$1 bitmap$1))	USPAT	OR	OFF	2006/03/14 07:16
S24 1	0	(bios NEAR2 separate) NEAR2 graphic$1	USPAT	OR	OFF	2006/03/14 07:16
S24 0	4	"5812390".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S23 9	28	bios SAME ((conserv$4 consolidat$4 minimiz$4) NEAR2 (size$1 space$1 memory$1 code$1))	USPAT	OR	OFF	2006/03/14 07:16
S23 8	199	bios SAME (conserv$4 consolidat$4 minimiz$4)	USPAT	OR	OFF	2006/03/14 07:16
S23 7	213	((program ADJ code) SAME (message$1 text string$1)) AND ((look$1up "look up") ADJ table$1)	USPAT	OR	OFF	2006/03/14 07:16
S23 6	3325	(program ADJ code) SAME (message$1 text string$1)	USPAT	OR	OFF	2006/03/14 07:16
S23 5	0	(program ADJ code) SAME ((token$1 identifier$1) NEAR substitute)	USPAT	OR	OFF	2006/03/14 07:16
S23 4	0	(program ADJ code) SAME (((token$1 identifier$1) NEAR substitute) SAME (message$1 text string$1))	USPAT	OR	OFF	2006/03/14 07:16
S23 3	7	bios SAME (text string$1 message$1) SAME (program ADJ code)	USPAT	OR	OFF	2006/03/14 07:16
S23 2	219	bios SAME (text string$1 message$1) SAME code$1	USPAT	OR	OFF	2006/03/14 07:16
S23 1	704	bios SAME (text string$1 message$1)	USPAT	OR	OFF	2006/03/14 07:16
S23 0	71	identifier$1 NEAR2 correspond$3 NEAR2 (text$1 string$1 message$1)	USPAT	OR	OFF	2006/03/14 07:16

EAST Search History

S22 9	14	"4949302".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S22 8	40	message$1 NEAR (look$1up ADJ table$1)	USPAT	OR	OFF	2006/03/14 07:16
S22 7	49	(message$1 NEAR token$1) SAME (look$1up table)	USPAT	OR	OFF	2006/03/14 07:16
S22 6	450	message$1 NEAR token$1	USPAT	OR	OFF	2006/03/14 07:16
S22 5	10	(message$1 NEAR table$1) SAME token$1	USPAT	OR	OFF	2006/03/14 07:16
S22 4	1138	message$1 NEAR table$1	USPAT	OR	OFF	2006/03/14 07:16
S22 3	5	("5519832" | "5630048" | "5761505" | "5930503" | "5933594").PN.	USPAT	OR	OFF	2006/03/14 07:16
S22 2	3	"6052800".URPN.	USPAT	OR	OFF	2006/03/14 07:16
S22 1	26	token$1 NEAR2 correspond$3 NEAR2 (text$1 string$1 message$1)	USPAT	OR	OFF	2006/03/14 07:16
S22 0	36	separate$1 SAME text SAME token$1 SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S21 9	23	separate SAME text SAME token SAME (program code)	USPAT	OR	OFF	2006/03/14 07:16
S21 8	147	(715/536).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S21 7	551	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16
S21 6	111	(715/542).CCLS.	USPAT; USOCR	OR	OFF	2006/03/14 07:16